#### **POULTRY CONTENTS**

#### **RESOURCE**

Suggested Feeding Rates Table

#### **CHICKEN**

18% AV Chick Starter/Grower (Crumble) 17% AV Broiler Grower/Finisher (Crumble) 16% AV Pullet Grower (Crumble) 18% AV Layer (Pellet/Crumble) 40% VP Poultry Mix Supplement (Crumble)

#### **TURKEY**

25% AV Medicated Turkey Starter (Crumble) 22% AV Medicated Turkey Grower (Pellet) 17% AV Turkey/Pheasant Grower (Pellet) 15% AV Turkey/Pheasant Finisher (Pellet) 28% Turkey/Pheasant Starter (Crumble) 22% Turkey/Pheasant Grower (Pellet)

#### **DUCK & GOOSE**

20% AV Duck & Goose Starter (Crumble) 18% AV Duck & Goose Grower (Pellet)







CODE 18% A 101500 18% A 101502 18% A 101502 18% A 111501 16% A 111502 18% A 111502 18% A 201607 22% A 201609 22% A 201620 22% T 203001 22% T 203000	CODE  18% AV Chick Starter/Grower (Crumble) – Medicated 101502  18% AV Chick Starter/Grower (Crumble) – Plain 101501  17% AV Broiler Grower/Finisher (Crumble) – Plain 111501  16% AV Pullet Grower (Crumble) – Plain 111502  18% AV Layer (Pellet) – Plain 111510  40% VP Poullty Mix Supplement (Crumble) 22% AV Turkey Starter (Crumble) – Medicated 201607  22% AV Turkey Starter (Crumble) – Medicated 201603  22% AV Turkey/Pheasant Grower (Pellet) – Plain 201603  22% AV Turkey/Pheasant Grower (Pellet) – Plain 203001  28% Turkey/Pheasant Starter (Crumble) – Plain 2203000  22% Turkey/Pheasant Grower (Pellet) – Plain 220686  20% AV Duck & Goose Starter (Crumble) – Plain 250687  18% AV Duck & Goose Grower (Pellet) – Plain 2105087  18% AV Duck & Goose Grower (Pellet) – Plain 210501  18% AV Duck & Goose Grower (Crumble) – Plain 210502  218% AV Chick Starter/Grower (Crumble) – Plain 210502  218% AV Chick Starter/Grower (Crumble) – Plain 217% AV Broiler Grower/Finisher (Crumble) – Plain	Broiler/Pullet Broiler/Pullet Broiler Pullet Layer Layer Layer Poultry Turkey Poults Turkey Poults/Pheasant Turkey Poults/Pheasant Turkey Poults/Pheasant Duck/Goose Duck/Goose Duck/Goose Duck/Goose Buck/Goose Duck/Goose Duck/Goose Buck/Goose Duck/Goose Duck/Goose Duck/Goose Duck/Goose Buck/Goose	tt :s:/Pheasant :s:/Pheasant :s:/Pheasant :s:/Pheasant ::/Pheasant :s:/Pheasant :s:/Pheasant :s:/Pheasant	REGULAR MEDICATED POU Broiler Program – Medicated 101500 18% AV Chic	POUL AT A SU FEI TRY PROGRAMS  S. Starter/Grower (Crumble) – Me S. Starter/Grower (Crumble) – Me	GGESTING GGESTING GGESTING EDING TES	Feed Rate 3 kg/bird 5 kg/bird
Pullet/Layer P 101502 111501 111510	Pullet/Layer Program – Plain10150218% AV Chick Starter/Grower (Crumble) – Plain11150116% AV Pullet Grower (Crumble) – Plain11150218% AV Layer (Crumble) – Plain11151040% VP Poultry Mix Supplement (Crumble)	0 - 4 wks 5 - 17 wks during lay during lay	1 kg/bird 6 kg/bird full feed	Pullet/Layer Pi 101500 111501 111502	Pullet/Layer Program – Medicated 101500 18% AV Chick Starter/Grower (Crumble) – Medicated 111501 16% AV Pullet Grower (Crumble) – Plain 111502 18% AV Layer (Crumble) – Plain 111510 40% VP Poultry Mix Supplement (Crumble)	0 - 4 wks 5 - 17 wks during lay during lay	1 kg/bird 6 kg/bird full feed
Turkey/Game 203001 203000 201613 201620	Turkey/Game Bird Program – Plain 203001 28% Turkey/Pheasant Starter (Crumble) – Plain 203000 22% Turkey/Pheasant Grower (Pellet) – Plain 201613 17% AV Turkey/Pheasant Grower (Pellet) – Plain 201620 15% AV Turkey/Pheasant Finisher (Pellet) – Plain	0 - 4 wks 5 - 8 wks 9 - 12 wks 13 wks +	2 kg/bird 7 kg/bird 9 kg/bird full feed	TurkeyProgram – Medicated         201607       25% AV Tur         201609       22% AV Tur         201613       17% AV Tur         201620       15% AV Tur	1 – Medicated 25% AV Turkey Starter (Crumble) – Medicated 22% AV Turkey Grower (Pellet) – Medicated 17% AV Turkey/Pheasant Grower (Pellet) – Plain 15% AV Turkey/Pheasant Finisher (Pellet) – Plain	0 - 4 wks 5 - 8 wks 9 - 12 wks 13 wks +	2 kg/bird 7 kg/bird 9 kg/bird full feed
<b>Duck/Goose P</b> 250686 250687	Duck/Goose Program – Plain 250686 20% AV Duck & Goose Starter (Crumble) – Plain 250687 18% AV Duck & Goose Grower (Pellet) – Plain	0 - 4 wks 5 - 8 wks	2 kg/bird 7 kg/bird				





# 18% AV CHICK STARTER/ GROWER (CRUMBLE) FOR GROWING CHICKS

#### **FEEDING DIRECTIONS:**

#### PLAIN - 101502

**Broilers:** Feed 8 kg per bird from one day old to the end of the 8th week of age.

Replacement Pullets: Feed 1 kg per bird from one day old to the end of the 4th week of age.

#### **MEDICATED - 101500**

**Broilers:** Feed 3 kg per bird from one day old to the end of the 4th week of age.

Replacement Pullets: Feed 1 kg per bird from one day old to the end of the 4th week of age.

For more details contact your Masterfeeds Account Manager.

#### **FEEDING TIPS:**

- Water Poultry should have access to clean, fresh water at all times. When starting dayold birds or after moving or transporting birds, give access to water before putting feed in the feeders.
- 2. Grit When birds have access to coarse litter or whole grains, an insoluble grit should be fed. Limit intake of grit to 1 lb (0.5 kg) per 100 lbs (50 kg) of feed or 2 lbs (1 kg) per 100 birds per week. Grit can be blended with the ration or offered free choice in a separate feeder.
- 3. Do not allow feeders to run empty or stale feed to accumulate.
- 4. Never feed any feedstuffs that are moldy, musty or suspect in any way.

#### NOTE:

Heritage 18% Chick Starter/Grower is formulated specifically for poultry and should not be fed to other species or to poultry in large commercial operations where a more customized diet would be most appropriate.

This feed contains added Selenium at 0.3 mg/kg.

#### **GUARANTEED ANALYSIS**

Crude Protein (minimum)	18.0%
Crude Fat (minimum)	
Crude Fiber (maximum)	
Calcium (actual)	1.1%
Phosphorus (actual)	
Sodium (actual)	
Vitamin A (minimum)	9,000 IU/kg
Vitamin D (minimum)	3,500 IU/kg
Vitamin E (minimum)	30 IU/kg

Net Weight 25 kg Product #: PLAIN – 101502 MEDICATED – 101500



#### **FEEDING DIRECTIONS:**

Feed as the sole ration to broiler chickens from the end of the 8th week of age.

#### **FEEDING TIPS:**

- 1. Water Poultry should have access to clean, fresh water at all times. When starting dayold birds or after moving or transporting birds, give access to water before putting feed in the feeders.
- 2. Grit When birds have access to coarse litter or whole grains, an insoluble grit should be fed. Limit intake of grit to 1 lb (0.5 kg) per 100 lbs (50 kg) of feed or 2 lbs (1 kg) per 100 birds per week. Grit can be blended with the ration or offered free choice in a separate feeder.
- 3. Do not allow feeders to run empty or stale feed to accumulate.
- 4. Never feed any feedstuffs that are moldy, musty or suspect in any way.

#### NOTE:

Heritage 17% Broiler Grower/Finisher is formulated specifically for poultry and should not be fed to other species or to poultry in large commercial operations where a more customized diet would be most appropriate.

This feed contains added Selenium at 0.3 mg/kg.

#### **GUARANTEED ANALYSIS**

Crude Protein (minimum)	17.0%
Crude Fat (minimum)	3.25%
Crude Fiber (maximum)	6.0%
Calcium (actual)	1.0%
Phosphorus (actual)	0.6%
Sodium (actual)	0.18%
Vitamin A (minimum)	9,000 IU/kg
Vitamin D (minimum)	3,500 IU/kg
Vitamin E (minimum)	30 IU/kg



#### **FEEDING DIRECTIONS:**

Feed 6 kg per bird from the end of the 4th week to the end of the 17th week of age.

#### **FEEDING TIPS:**

- 1. Water Poultry should have access to clean, fresh water at all times. When starting dayold birds or after moving or transporting birds, give access to water before putting feed in the feeders.
- 2. Grit When birds have access to coarse litter or whole grains, an insoluble grit should be fed. Limit intake of grit to 1 lb (0.5 kg) per 100 lbs (50 kg) of feed or 2 lbs (1 kg) per 100 birds per week. Grit can be blended with the ration or offered free choice in a separate feeder.
- 3. Do not allow feeders to run empty or stale feed to accumulate.
- 4. Never feed any feedstuffs that are moldy, musty or suspect in any way.

#### NOTE:

Heritage 16% Pullet Grower is formulated specifically for poultry and should not be fed to other species or to poultry in large commercial operations where a more customized diet would be most appropriate.

This feed contains added Selenium at 0.3 mg/kg.

#### **GUARANTEED ANALYSIS**

Crude Protein (minimum)	16.0%
Crude Fat (minimum)	3.9%
Crude Fiber (maximum)	6.0%
Calcium (actual)	1.1%
Phosphorus (actual)	0.62%
Sodium (actual)	0.18%
Vitamin A (minimum)	9,000 IU/kg
Vitamin D (minimum)	3,500 IU/kg
Vitamin E (minimum)	30 IU/kg

Masterfeeds HERITAGE

### 18% AV LAYER (PELLET/CRUMBLE)

### FOR LAYING HENS

#### **FEEDING DIRECTIONS:**

Feed as the sole ration to laying hens.

#### **FEEDING TIPS:**

- Water Poultry should have access to clean, fresh water at all times. When starting dayold birds or after moving or transporting birds, give access to water before putting feed in the feeders.
- 2. Grit When birds have access to coarse litter or whole grains, an insoluble grit should be fed. Limit intake of grit to 1 lb (0.5 kg) per 100 lbs (50 kg) of feed or 2 lbs (1 kg) per 100 birds per week. Grit can be blended with the ration or offered free choice in a separate feeder.
- 3. Do not allow feeders to run empty or stale feed to accumulate.
- 4. Never feed any feedstuffs that are moldy, musty or suspect in any way.


#### NOTE:

Heritage 18% Layer Ration is formulated specifically for poultry and should not be fed to other species or to poultry in large commercial operations where a more customized diet would be most appropriate.

This feed contains added Selenium at 0.3 mg/kg.

#### **GUARANTEED ANALYSIS**

Crude Protein (minimum)	18.0%
Crude Fat (minimum)	2.5%
Crude Fiber (maximum)	5.0%
Calcium (actual)	4.0%
Phosphorus (actual)	0.65%
Sodium (actual)	0.18%
Vitamin A (minimum)	9,000 IU/kg
Vitamin D (minimum)	3,500 IU/kg
Vitamin E (minimum)	25 IU/kg





### **FOR POULTRY**

#### **FEEDING DIRECTIONS:**

Use this supplement with corn, wheat, soybean meal and limestone to make chick starter, grower and layer feeds.

#### Sample Formulas:

**20% Chick Starter** – Mix 200 kg of this supplement with 502 kg corn, 150 kg wheat, 141 kg soybean meal and 7 kg limestone.

**18% Grower** – Mix 200 kg of this supplement with 595 kg corn, 100 kg wheat, 96 kg soybean meal and 9 kg limestone.

**17% Layer** – Mix 200 kg of this supplement with 493 kg corn, 150 kg wheat, 79 kg soybean meal and 78 kg limestone.

#### **FEEDING TIPS:**

- 1. Water Poultry should have access to clean, fresh water at all times. When starting dayold birds or after moving or transporting birds, give access to water before putting feed in the feeders.
- 2. Grit When birds have access to coarse litter or whole grains, an insoluble grit should be fed. Limit intake of grit to 1 lb (0.5 kg) per 100 lbs (50 kg) of feed or 2 lbs (1 kg) per 100 birds per week. Grit can be blended with the ration or offered free choice in a separate feeder.
- 3. Do not allow feeders to run empty or stale feed to accumulate.
- 4. Never feed any feedstuffs that are moldy, musty or suspect in any way.

#### NOTE:

Heritage 40% VP Poultry Mix Supplement is formulated specifically for poultry and should not be fed to other species or to poultry in large commercial operations where a more customized diet would be most appropriate.

This feed contains added Selenium at 1.5 mg/kg.

#### **GUARANTEED ANALYSIS**

Crude Protein (minimum)	40.0%
Crude Fat (minimum)	1.5%
Crude Fiber (maximum)	4.0%
Calcium (actual)	
Phosphorus (actual)	
Sodium (actual)	
Iodine (actual)	7.5 mg/kg
Iron (actual)	1,000 mg/kg
Copper (actual)	60 mg/kg
Manganese (actual)	380 mg/kg
Zinc (actual)	
Vitamin A (minimum)	54,500 IU/kg
Vitamin D (minimum)	
Vitamin E (minimum)	



### 25% AV MEDICATED TURKEY STARTER (CRUMBLE)

## FOR STARTING TURKEY/PHEASANT

Masterfeeds Heritage 25% All Vegetable Protein Medicated Turkey Starter (crumble) is a nutrient dense, carefully balanced diet for starting and growing turkeys. Formulated using the latest technology to promote excellent growth and development. Wholesome grains and all vegetable proteins are balanced with minerals and vitamins for a healthy and productive flock. This feed is medicated to aid in the prevention of Coccidiosis.

#### **FEEDING DIRECTIONS:**

Feed this medicated feed as the sole ration from one day of age to the end of the 4th week of age. Typical feed intake is 2 kg per bird during this period.

#### **FEATURES & BENEFITS:**

#### Complete and balanced products.

Encourages optimum growth and performance while minimizing the need for other supplements.

#### Optimal vitamin and mineral levels.

Heritage rations provide farm flock poultry producers with similar fortification levels found in commercial poultry diets.

#### Separate products for different life stages.

Specific diets for starting chicks help to provide the correct nutrition and maximize growth.

#### Rations contain phytases.

Which make phosphorus and other nutrients more digestible. Improved digestibility reduces the amount of phosphorus excreted into the environment.

#### NOTE:

Heritage 25% All Vegetable Protein Turkey Starter is formulated specifically for poultry and should not be fed to other species or to poultry in large commercial operations where a more customized diet would be most appropriate.

#### **FEEDING TIPS:**

- Water Poultry should have access to clean, fresh water at all times. When starting dayold birds or after moving or transporting birds, give access to water before putting feed in the feeders.
- 2. Grit When birds have access to coarse litter or whole grains, an insoluble grit should be fed. Limit intake of grit to 1 lb (0.5 kg) per 100 lbs (50 kg) of feed or 2 lbs (1 kg) per 100 birds per week. Grit can be blended with the ration or offered free choice in a separate feeder.
- 3. Do not allow feeders to run empty or stale feed to accumulate.
- 4. Never feed any feedstuffs that are moldy, musty or suspect in any way.

This feed contains added Selenium at 0.3 mg/kg.

#### **GUARANTEED ANALYSIS**

Crude Protein (minimum)	25.0%
Crude Fat (minimum)	2.5%
Crude Fiber (maximum)	4.0%
Calcium (actual)	1.4%
Phosphorus (actual)	0.9%
Sodium (actual)	0.17%
Vitamin A (minimum)	10,500 IU/kg
Vitamin D (minimum)	3,500 IU/kg
Vitamin E (minimum)	75 IU/kg

Net Weight 25 kg Product #: 201607-AMP500



# **22%**AV MEDICATED TURKEY GROWER (PELLET)

### FOR GROWING TURKEY POULTS/ PHEASANT

Masterfeeds Heritage 22% All Vegetable Protein Medicated Turkey Grower (pellet) is nutrient dense and carefully balanced for growing turkeys. Formulated using the latest technology to promote excellent growth and development. Wholesome grains and all vegetable proteins are balanced with minerals and vitamins for a healthy and productive flock.

#### **FEEDING DIRECTIONS:**

Feed this medicated feed as the sole ration from the end of the 4th week to the end of the 8th week of age. Typical feed intake is 7 kg per bird during this period.

#### **FEATURES & BENEFITS:**

#### Complete and balanced products.

Encourages optimum growth and performance while minimizing the need for other supplements.

#### Optimal vitamin and mineral levels.

Heritage rations provide farm flock poultry producers with similar fortification levels found in commercial poultry diets.

#### Separate products for different life stages.

Specific diets for starting poults to help to provide the correct nutrition and maximize growth.

#### Rations contain phytases.

Which make phosphorus and other nutrients more digestible. Improved digestibility reduces the amount of phosphorus excreted into the environment.

#### NOTE:

Heritage 22% All Vegetable Protein Medicated Turkey Grower is formulated specifically for turkeys and should not be fed to other species or to poultry in large commercial operations where a more customized diet would be most appropriate.

#### **FEEDING TIPS:**

- 1. **Water** Poultry should have access to clean, fresh water at all times. When starting dayold birds or after moving or transporting birds, give access to water before putting feed in the feeders.
- 2. Grit When birds have access to coarse litter or whole grains, an insoluble grit should be fed. Limit intake of grit to 1 lb (0.5 kg) per 100 lbs (50 kg) of feed or 2 lbs (1 kg) per 100 birds per week. Grit can be blended with the ration or offered free choice in a separate feeder.
- 3. Do not allow feeders to run empty or stale feed to accumulate.
- 4. Never feed any feedstuffs that are moldy, musty or suspect in any way

This feed contains added Selenium at 0.3 mg/kg.

#### **GUARANTEED ANALYSIS**

Crude Protein (minimum)	22.0%
Crude Fat (minimum)	2.75%
Crude Fiber (maximum)	4.5%
Calcium (actual)	1.15%
Phosphorus (actual)	0.8%
Sodium (actual)	
Vitamin A (minimum)	9,000 IU/kg
Vitamin D (minimum)	3,500 IU/kg
Vitamin E (minimum)	30 IU/kg

Net Weight 25 kg Product #: 201609-AMP500



Masterfeeds Heritage 17% All Vegetable Protein Turkey/Pheasant Grower (pellet) is nutrient dense and carefully balanced for growing turkeys. Formulated using the latest technology to promote excellent growth and development. Wholesome grains and all vegetable proteins are balanced with minerals and vitamins for a healthy and productive flock.

#### **FEEDING DIRECTIONS:**

Feed 9 kg per bird from the end of the 8th week to the end of the 12th week of age.

#### **FEATURES & BENEFITS:**

#### Complete and balanced products.

Encourages optimum growth and performance while minimizing the need for other supplements.

#### Optimal vitamin and mineral levels.

Heritage rations provide farm flock poultry producers with similar fortification levels found in commercial poultry diets.

#### Separate products for different life stages.

Specific diets for starting poults to help to provide the correct nutrition and maximize growth.

#### Rations contain phytases.

Which make phosphorus and other nutrients more digestible. Improved digestibility reduces the amount of phosphorus excreted into the environment.

#### NOTE:

Heritage 17% All Vegetable Protein Turkey Grower is formulated specifically for turkeys and should not be fed to other species or to poultry in large commercial operations where a more customized diet would be most appropriate.

#### **FEEDING TIPS:**

- Water Poultry should have access to clean, fresh water at all times. When starting dayold birds or after moving or transporting birds, give access to water before putting feed in the feeders.
- 2. Grit When birds have access to coarse litter or whole grains, an insoluble grit should be fed. Limit intake of grit to 1 lb (0.5 kg) per 100 lbs (50 kg) of feed or 2 lbs (1 kg) per 100 birds per week. Grit can be blended with the ration or offered free choice in a separate feeder.
- 3. Do not allow feeders to run empty or stale feed to accumulate.
- 4. Never feed any feedstuffs that are moldy, musty or suspect in any way.

This feed contains added Selenium at 0.3 mg/kg.

#### **GUARANTEED ANALYSIS**

Crude Protein (minimum)	17.0%
Crude Fat (minimum)	3.5%
Crude Fiber (maximum)	6.0%
Calcium (actual)	1.1%
Phosphorus (actual)	0.7%
Sodium (actual)	0.18%
Vitamin A (minimum)	10,500 IU/kg
Vitamin D (minimum)	3,500 IU/kg
Vitamin E (minimum)	30 IU/kg



# 15% AV TURKEY/PHEASANT FINISHER (PELLET) FOR FINISHING TURKEY POULTS/ PHEASANT

Masterfeeds Heritage 15% All Vegetable Protein Turkey/Pheasant Finisher (pellet) is nutrient dense and carefully balanced for finishing turkeys. Formulated using the latest technology to promote excellent growth and development. Wholesome grains and all vegetable proteins are balanced with minerals and vitamins for a healthy and productive flock.

#### **FEEDING DIRECTIONS:**

Feed as the sole ration to turkeys from the end of the 12th week of age.

#### **FEATURES & BENEFITS:**

#### Complete and balanced products.

Encourages optimum growth and performance while minimizing the need for other supplements.

#### Optimal vitamin and mineral levels.

Heritage rations provide farm flock poultry producers with similar fortification levels found in commercial poultry diets.

#### Separate products for different life stages.

Specific diets for growing poultry help to provide the correct nutrition for each life stage of production.

#### Rations contain phytases.

Which make phosphorus and other nutrients more digestible. Improved digestibility reduces the amount of phosphorus excreted into the environment.

#### NOTE:

Heritage 15% All Vegetable Protein Turkey Finisher is formulated specifically for poultry and should not be fed to other species or to poultry in large commercial operations where a more customized diet would be most appropriate.

#### **FEEDING TIPS:**

- 1. **Water** Poultry should have access to clean, fresh water at all times. When starting dayold birds or after moving or transporting birds, give access to water before putting feed in the feeders.
- 2. Grit When birds have access to coarse litter or whole grains, an insoluble grit should be fed. Limit intake of grit to 1 lb (0.5 kg) per 100 lbs (50 kg) of feed or 2 lbs (1 kg) per 100 birds per week. Grit can be blended with the ration or offered free choice in a separate feeder.
- 3. Do not allow feeders to run empty or stale feed to accumulate.
- 4. Never feed any feedstuffs that are moldy, musty or suspect in any way.

This feed contains added Selenium at 0.3 mg/kg.

#### **GUARANTEED ANALYSIS**

Crude Protein (minimum)	15.0%
Crude Fat (minimum)	3.25%
Crude Fiber (maximum)	5.0%
Calcium (actual)	0.9%
Phosphorus (actual)	0.7%
Sodium (actual)	0.17%
Vitamin A (minimum)	10,500 IU/kg
Vitamin D (minimum)	3,500 IU/kg
Vitamin E (minimum)	30 IU/kg



Masterfeeds Heritage 28% Turkey/Pheasant Starter is an all vegetable protein formula developed specifically for farm and hobby flocks. The all vegetable formula furnishes the nutrients needed by your flock from start to finish.

#### **FEEDING DIRECTIONS:**

Feed 2 kg per bird from day one to the end of the 4th week of age. (Can feed until the end of the 8th week of age.)

#### **FEATURES & BENEFITS:**

Complete feed. No mixing required.

**Fortified with vitamins and essential minerals.**Provide farm flock poultry producers with similar fortification levels found in commercial poultry diets.

**Balanced Amino Acids.** Encourages optimum growth and performance while minimizing the need for other supplements.

#### **FEEDING TIPS:**

- Water Poultry should have access to clean, fresh water at all times. When starting dayold birds or after moving or transporting birds, give access to water before putting feed in the feeders.
- 2. Grit When birds have access to coarse litter or whole grains, an insoluble grit should be fed. Limit intake of grit to 1 lb (0.5 kg) per 100 lbs (50 kg) of feed or 2 lbs (1 kg) per 100 birds per week. Grit can be blended with the ration or offered free choice in a separate feeder.
- 3. Do not allow feeders to run empty or stale feed to accumulate.
- 4. Never feed any feedstuffs that are moldy, musty or suspect in any way.

This feed contains added Selenium at 0.3 mg/kg.

#### **GUARANTEED ANALYSIS**

Crude Protein (minimum)	28.0%
Crude Fat (minimum)	
Crude Fiber (maximum)	
Calcium (actual)	1.1%
Phosphorus (actual)	0.95%
Sodium (actual)	
Vitamin A (minimum)	10,500 IU/kg
Vitamin D (minimum)	3,500 IU/kg
Vitamin E (minimum)	40 IU/kg



## 22% TURKEY/PHEASANT GROWER TURKEY/PHEASANT TURKEY/PHEASANT

Masterfeeds Heritage 22% Turkey/Pheasant Grower is an all vegetable protein formula developed specifically for farm and hobby flocks. The all vegetable formula furnishes the nutrients needed by your flock from start to finish.

#### **FEEDING DIRECTIONS:**

Feed 7 kg per bird from the end of the 4th week to the end of the 8th week of age. (Can feed until the end of the 12th week of age.)

#### **FEATURES & BENEFITS:**

Complete feed. No mixing required.

**Fortified with vitamins and essential minerals.**Provide farm flock poultry producers with similar fortification levels found in commercial poultry diets.

**Balanced Amino Acids.** Encourages optimum growth and performance while minimizing the need for other supplements.

#### NOTE:

Feather picking and cannibalism are frequently encountered with game birds raised in confinement. Allowing additional space, trimming beaks or the use of diminished red lights are usually helpful to reduce these problems.

#### **FEEDING TIPS:**

- Water Poultry should have access to clean, fresh water at all times. When starting dayold birds or after moving or transporting birds, give access to water before putting feed in the feeders.
- 2. Grit When birds have access to coarse litter or whole grains, an insoluble grit should be fed. Limit intake of grit to 1 lb (0.5 kg) per 100 lbs (50 kg) of feed or 2 lbs (1 kg) per 100 birds per week. Grit can be blended with the ration or offered free choice in a separate feeder.
- 3. Do not allow feeders to run empty or stale feed to accumulate.
- 4. Never feed any feedstuffs that are moldy, musty or suspect in any way.

This feed contains added Selenium at 0.3 mg/kg.

#### **GUARANTEED ANALYSIS**

Crude Protein (minimum)	22.0%
Crude Fat (minimum)	3.5%
Crude Fiber (maximum)	6.0%
Calcium (actual)	1.2%
Phosphorus (actual)	0.85%
Sodium (actual)	0.18%
Vitamin A (minimum)	10,500 IU/kg
Vitamin D (minimum)	3,500 IU/kg
Vitamin E (minimum)	40 IU/kg



# 20% AV DUCK & GOOSE STARTER (CRUMBLE)

### FOR STARTING & GROWING DUCKLINGS

Masterfeeds Heritage 20% All Vegetable Protein Duck & Goose Starter (crumble) is a nutrient dense, carefully balanced diet for starting and growing ducklings. Formulated using the latest technology to promote strong growth and development. Wholesome grains and all vegetable proteins are balanced with minerals and vitamins for a healthy and productive farm flock.

#### **FEEDING DIRECTIONS:**

Feed 2 kg per bird from one day old to the end of the 4th week of age.

#### **FEATURES & BENEFITS:**

#### Complete and balanced products.

Encourages optimum growth and performance while minimizing the need for other supplements.

#### Optimal vitamin and mineral levels.

Heritage rations provide farm flock poultry producers with similar fortification levels found in commercial poultry diets.

#### Separate products for different life stages.

Specific diets for starting ducklings help to provide the correct nutrition and maximize growth.

#### Rations contain phytases.

Which make phosphorus and other nutrients more digestible. Improved digestibility reduces the amount of phosphorus excreted into the environment.

#### NOTE:

Heritage 20% All Vegetable Protein Duck & Goose Starter is formulated specifically for poultry and should not be fed to other species or to poultry in large commercial operations where a customized diet would be most appropriate.

#### **FEEDING TIPS:**

- 1. **Water** Poultry should have access to clean, fresh water at all times. When starting dayold birds or after moving or transporting birds, give access to water before putting feed in the feeders.
- 2. Grit When birds have access to coarse litter or whole grains, an insoluble grit should be fed. Limit intake of grit to 1 lb (0.5 kg) per 100 lbs (50 kg) of feed or 2 lbs (1 kg) per 100 birds per week. Grit can be blended with the ration or offered free choice in a separate feeder.
- 3. Do not allow feeders to run empty or stale feed to accumulate.
- Never feed any feedstuffs that are moldy, musty or suspect in any way.

This feed contains added Selenium at 0.3 mg/kg.

#### **GUARANTEED ANALYSIS**

Crude Protein (minimum)	20.0%
Crude Fat (minimum)	2.5%
Crude Fiber (maximum)	
Calcium (actual)	
Phosphorus (actual)	0.7%
Sodium (actual)	
Vitamin A (minimum)	10,500 IU/kg
Vitamin D (minimum)	3,500 IU/kg
Vitamin E (minimum)	30 IU/kg



# 18% AV DUCK & GOOSE GROWER (PELLET) FOR GROWING DUCKS & GEESE

Masterfeeds Heritage 18% All Vegetable Protein Duck & Goose Grower (pellet) is a nutrient dense, carefully balanced diet for growing ducks. Formulated using the latest technology to promote excellent growth and development. Wholesome grains and all vegetable proteins are balanced with minerals and vitamins for a healthy and productive farm flock.

#### **FEEDING DIRECTIONS:**

Feed 7 kg per bird from the end of the 4th week to the end of the 8th week of age.

#### **FEATURES & BENEFITS:**

#### Complete and balanced products.

Encourages optimum growth and performance while minimizing the need for other supplements.

#### Optimal vitamin and mineral levels.

Heritage rations provide farm flock poultry producers with similar fortification levels found in commercial poultry diets.

#### Separate products for different life stages.

Specific diets for growing ducks help to provide the correct nutrition for each life stage of production.

#### Rations contain phytases.

Which make phosphorus and other nutrients more digestible. Improved digestibility reduces the amount of phosphorus excreted into the environment.

#### NOTE:

Heritage 18% All Vegetable Protein Duck & Goose Grower is formulated specifically for poultry and should not be fed to other species or to poultry in large commercial operations where a more customized diet would be most appropriate.

#### **FEEDING TIPS:**

- Water Poultry should have access to clean, fresh water at all times. When starting dayold birds or after moving or transporting birds, give access to water before putting feed in the feeders.
- 2. Grit When birds have access to coarse litter or whole grains, an insoluble grit should be fed. Limit intake of grit to 1 lb (0.5 kg) per 100 lbs (50 kg) of feed or 2 lbs (1 kg) per 100 birds per week. Grit can be blended with the ration or offered free choice in a separate feeder.
- 3. Do not allow feeders to run empty or stale feed to accumulate.
- 4. Never feed any feedstuffs that are moldy, musty or suspect in any way.

This feed contains added Selenium at 0.3 mg/kg.

#### **GUARANTEED ANALYSIS**

Crude Protein (minimum)	18.0%
Crude Fat (minimum)	3.5%
Crude Fiber (maximum)	
Calcium (actual)	1.0%
Phosphorus (actual)	0.65%
Sodium (actual)	0.18%
Vitamin A (minimum)	10,500 IU/kg
Vitamin D (minimum)	3,500 IU/kg
Vitamin E (minimum)	30 IU/kg

